

# Low Level-system

for High Lift and Full Vertical

**NEW!**




*part of your door*



## Introducing the new Low Level system for Industrial Doors and Dock Shelter systems!!

The Low level system is suitable for Highlifts without pitch and Full Verticals. The special designed parts make it easy to pre-assemble the power unit, making it easy to install on site. Use a forklift to lift the power unit onto the brackets, quick and easy mounting!!

Save build-in-space with up-side-down power unit mounting. No extra parts needed for upside down mounting!!



**MAX. DOOR WEIGHT: 200 KG.**

**W= MAX. 4000MM**

**H= MAX. 4000MM**

**Z= (ONE SIDE ONLY)**

**MINIMUM 105MM VL DOORS - MANUAL**

**MINIMUM 230MM VL DOORS - CHAIN**

**MINIMUM 230MM VL DOORS - ELECTRICAL**

**MINIMUM 230MM HL DOORS - MANUAL**

**MINIMUM 350MM HL DOORS - CHAIN**

**MINIMUM 350MM HL DOORS - ELECTRIC**

# Low Level System

for High Lift and Full Vertical  
*part of your door*

## Additional Low Level System parts:



**13041**

Wall mounting bracket  
Fully zinc plated  
Reinforced ribs  
For pulley mounting



**13040-L/R**

Track mounting bracket  
Fully zinc plated  
Reinforced ribs  
For pulley mounting



**25192-L/R**

Triangle bracket  
Fully zinc plated  
Additional track connection holes  
Flange for more stability  
Able to mount upsidedown




**25193**

Extra support bracket  
Fully zinc plated  
For mounting triangle bracket on  
vertical angle



**20050**

Beam 60 x 40mm  
Zinc plated  
Available length 4500mm  
For power unit mounting



**20075**

Connection bracket.  
Fully zinc plated.  
Designed to mount the beam onto the  
triangle bracket.  
Also for mounting bearing plate or  
spring break device.



13040 and 13041 with pulley 25358  
and pulley bracket 25365



# Low Level System

for High Lift and Full Vertical  
*part of your door*

## Quality Committed. Unmatched Innovation. Best prices.

Doco International B.V. brings value to your products and convenience to your customers with the most diverse range of high-quality components for industrial and residential (garage) overhead doors available today!

We make our experience available to you in a variety of ways. Whether it is offering our own custom product research and development services or providing our versatile product line to you, we have everything you need to make your door the very best it can be.

**We invite you to challenge us and see why we are the best!!!!**

**Please contact our sales department for more information.**

## Dock Shelter system

- Easy power unit installation using forklift.
- Save space with upsidedown power unit mounting.
- No extra parts needed for upsidedown mounting
- For Full Vertical and Highlift without pitch
- Pre assemble your power unit

### Netherlands

Nusterweg 96  
6136 KV Sittard (NL)  
Postbus 427  
6130 AK Sittard (NL)  
T +31 (0)46 - 420 06 66  
F +31 (0)46 - 452 68 94  
[www.doco-international.com](http://www.doco-international.com)  
[info@doco-international.com](mailto:info@doco-international.com)

### Espana

Doco International s.l.  
Pol. Ind. Met Sidro  
Avda. Generalitat 55  
08530 La Garriga (Barcelona)  
T +34 938612825  
F +34 938716592

### United Kingdom

Doco International Ltd.  
Metropol Ctr. Field way Un. K4  
UB6 8UN Greenford, Middlesex  
T +44 (0)2088132266  
F +44 (0)2088132288

### Czech Republik

Doco International s.r.o.  
Háj 352  
798 12 Kralice na Hané  
T +420 (0)582360100  
F +420 (0)582360300  
[info@doco-international.cz](mailto:info@doco-international.cz)

